F-SERIES



F-SERIES

The best seling vehicle in America is not a car.

It's a truck — the Ford F-Series."

This may surprise you. But when you think about it, it's perfectly ogical. After all, the F-Series has not only been the best-selling pickup for filtron years running? — it also has the highest owner loyary among trucks in its class.

Ford Trucks. The Best Never Rest.

And when you consider the way in which Ford pickups have evolved — with fuel injected engines, rear ABS brakes, gas shocks, the E400 transmission plus more comforable interiors and a wide range of corrrort and convenience amentos — its no wonder that more and

more Americans are using their trucks in the same ways that they use their cars. A lot of the old distinctions are gone.

There's a 1993 F-Series for everyone. Choose from the F-150/250/250-ID/350 or F-Super Duty. XL or XLT trim levels. Regular Cab., SuperCap or Crew Cap. Two-wheel or four-wheel thire. Electronically fue-injected gashine engines. Or the largest V-8 diesel in a full-size point outboard rear anti-look brakes. Three-point outboard man bench seat safety restrants. Styleside or Flareside configurations. Plus a vibrant list of luminescent colors, including disarctal metalics.

New for 1993 - the optional electronic speed

control is designed to provide a smoother faster response including a tap upfact down feature at 1 mip.h, increments.



Also new for '93, the F-Series Preferred Card Program provides owners

with special after-sale service benefits designed to enhance customer satisfaction. See the brack cover of this brochure and your Ford dealer for details.

Ford Trucks. The Best Never Rest.

"Stated on motion year annual a form" a reported reliad delivering through Jone, 1862, planed on the 1867 have increase Payer Darwey, 47th 1 Season Daly is covered in the 1963 Ford.
Commercial Package and Charpir brachure, 4ek year Ford deal or for a 1925.

F-150 St. | EuperCab shown below to Saver Clearcool Metallic over Pistrama. Jean equipment Shows may be optional.










F-SERIES INTERIOR

With the Ford F-Series the road to the great outdoors begins with a seat in the great indoors.

The Regular Cab XLT flight bench seat and the optional SuperCab cloth Captain's Chairs include power lumbar support, for an unexpected degree of riding comfort.

Captain's Chairs also include a center console with built-in beverage, coin, cassette and map



holders, plus room to store other personal items. Threepoint outboard safety restraints remain standard with rear


bench seats for '93.

Taking your seat in an F-Series is a great feeling. Now look around.

The interior has an intelligence about it. If it's easy on the eye, it's even easier to use.

The contemporary instrument panel is layed out logically, and includes standard oil pressure and temperature gauges, plus a voltmeter and optional tachometer — clustered for easy reading at a glance. Rotary air conditioning and heater controls are conveniently located and ergonomically designed for easy operating.





Optional power window controls and door locks are conveniently mounted close to the driver on the door panel.

A Power Point electrical accessory outlet positioned on the instrument panel lets you plug in things like electric shavers and coffee pots when it's time to take a break.

The 1993 F-Series interior feels great. And looks even better. But wait until you hear this.

The optional electronic AM/FM stereo cassette player — with digital clock, Dolby" noise reduction plus front and rear fader controls — features preset memory for six AM and twelve FM stations, seek up/seek down tuning, and four efficient speakers — all for a great sound.



Controls to operate the optional power windows, power door locks and mirrors are conveniently located on the door-trim panel.



Accessory outlet is a good example of the driver-friendly design of the 1993 F-Series. It allows you to plug in items like electric shavers and coffee pots during break time.

The Power Point

The F-Series interior has a remarkable contemporary look and feel. The XLT is shown here in Bark Charcoal. SuperCab is shown at left. For '93, we've kept the things that have proven popular over the years: pivoting vest windows; full instrumentation, including oil pressure and temper-

ature gauges, voltmeter, and optional tachometer.

Some equipment shown on these pages may be optional.



The removable mini-console is included as part of the Light/Convenience Group on Regular Cab models, along with an underhood light, Iront door map packets and more.



The E40D driver-activated overdrive cancel switch is conveniently mounted on the shift lever. This switch is designed to prevent upshift to the over-drive gear — a particularly useful feature in hilly terrain to obtain third gear engine braking on downgrades.



CAB STYLES

The F-150, F-250 and F-350 are offered in Regular and SuperCab. The F-350 Series also offers a six-passenger Crew Cab, covered here and also in the 1993 Ford Commercial Pickups and Chassis brochure.

plus standard rear jump seats or optional rear choice to perform as designed.

bench, is growing in popularity. With 30 cubic feet of storage area behind the front seat, there's ample room for luggage or golf clubs.

In addition, the extra space allows for effective placement of SuperCab's four stereo speakers SuperCab, with its flush quarter-window glass (optional on XL) helping the sound system of your - stream or the Club on Saturday night, you're

SuperCab is available in a variety of brilliant clearcoat metallic and non-clearcoat colors. For extra corrosion resistance, all F-Series frames receive a special wax coating.

Whether it's Regular Cab or SuperCab, a trout never out of place with the Ford F-Series.





F-SERIES 4x4

The F-Series offers 4-wheel drive (4x4) on F-150/250HD/350 Regular Cab, F-150/250HD SuperCab and F-350 Crew Cab.

Automatic locking hubs are standard. Electric 4x4 Touch Drive and manual locking hubs are optional.

Electric Touch Drive is a Ford exclusive. The F-150 4x4 is the only full-size pickup on the market offering it.

Locking the automatic hubs is simple. Merely

stop the vehicle and shift into 4-wheel drive high. The hubs are automatically locked as soon as the truck is driven.

An easy quarter turn of each front hub selector knob is all that's required to lock the hubs into 4-wheel drive on the manual system.

Once the hubs are engaged, all three systems allow you to shift "on the fly" from 2-wheel drive to 4-wheel drive high and back again at normal road speeds.

F-150 4x4s include a standard 2-speed transfer case; a 4.9 L ER I-6 engine with a 5-speed manual overdrive transmission; an optional 5.0L EFI V-8; an optional 5.8L EFI V-8 engine; standard Twin-Traction Beam front suspension; power steering; power brakes with rear anti-lock feature plus five P235/75Rx15XL radial tires. 3,800-pound axies. Plus optional skid plates to help protect the transfer case and fuel tanks, if so equipped.



Year after year Ford subjects race-prepared vehicles to conditions more punishing than the average driver would ever experience.


Many of the ideas bred and developed on racetracks and off-road courses — electronic engine controls and braking systems, for example — find their way into the F-Series pickups sold in Ford dealer showrooms.

Note: the specially modified racing vehicle shown is operated by professional drivers in seactioned competition.





"Tread Lightly" is an educational program designed to increase public awareness of land-use regulations and responsibilities in our nation's wilderness areas. Ford joins the U.S. Forest Service and Bureau of Land Management in encouraging you to help preserve our national forests and other public and private lands by "treading lightly."









Introduced as a new model in 1992, Flareside, perhaps more than any other F-Series offering, demonstrates the ways in which the Ford F-Series continues to evolve.

The short-wheelbase Flareside, with unique door steps plus pickup box with fenders and side steps has unmistakable appeal.

Flareside is something you well might own — just for the fun of it.

Choose the new XL trim. Or the sporty XLT.

SuperCab or Regular Cab. 4x2 or 4x4. Pick from three electronically fuel injected engines.

Automatic transmission. Or stick.

Paint your fun with one of Flareside's exclusive
Clearcoat Metallics: Iris or Electric Red. Plus
an assortment of vibrant Clearcoat or non-,
Clearcoat paints.

The XLT, pictured to the left, includes chrome styled steel wheels and is powered by the standard 4.9L EFI I-6 engine matched to a 5-speed manual overdrive transmission.

Every Flareside includes standard power steering. Power brakes with rear anti-lock feature. Five P235/75Rx15XL All-season radials. A Power Point electrical accessory outlet. Full instrumentation, including a voltmeter plus oil pressure and temperature gauges.



Floreside Regular Cab 4x4 at left in Bimini Blue Clearcoat Metallic. Below, Floreside SuperCab in Silver Clearcoat Metallic over Medium Platinum Clearcoat. Above, Floreside Regular Cab in Electric Red Clearcoat Metallic over Silver Clearcoat Metallic. Some equipment shown may be optional.



F-SERIES 4x2 SPECIFICATIONS

GWWR (max. lbs.)	F-150	6,250: Regular Cab; 6,250: SuperCab
	F-250	6,600: Regular Cab
	F-250 HD	8,600; Regular Cab; 8,800; SuperCab
	F-350	10,000: Regular Cab DRW; 10,000: SuperCab DRW
		9,200: Crew Cab SRW; 10,000: Crew Cab DRW
Front axie (max. lbs.)	F-150	3,400: Regular Cab; 3,400: SuperCab
	F-250	3,900: Regular Cab
	F-250 HD	4,200: Regular Cab; 4,200: SuperCab
	F-350	4,200 Regular Cab DRW; 4,200: SuperCab DRW
		4,200: Crew Cab SRW; 4,200: Crew Cab DRW
Rear axle (max. lbs.)	F-150	3,800; Regular Cab; 3,800; SuperCab
	F-250	5,300: Regular Cab
	F-250 HD	6,250: Regular Cab; 6,250: SuperCab
	F-350	7 400: Regular Cab DRW; 7,400: SuperCab DRW
Corner front		6,250; Črew Cab SRW; 7,400; Crew Cab DRW
Springs, front	0	Coll
rear		-stage leaf, variable rate (plus auxiliary springs on F-350)
		ary rear springs for many models. See your Ford Dealer.
	as pressunzec	d (HD std. on F-250 HD and F-350; opt. on F-150/250)
Battery		Std. 72 amp-hr, Opt. 84 amp-hr.; Dual 84 amp-hr, std. with 7.3L Diesel
Alternator		60 amps with 4.9L engine less a/c
	95 amos	75 amps with 4.9L engine with a/c; and 7.5L engine with 5.0L and 5.8L engines; 130 amps with 7.3L diesel
Fuel capacity		als.: SWB F-150, 37.2 gals.: LWB F-150/F-250/F-350 Opt. 18.2 gals.: F-150/250/250 HD Regular Cab
Steering		Power

4x2 POWERTEAMS


Regular Cab						SuperCa	Crew Cab		
Engines	F-150	F-250	F-250 HD	F-350 DRW	F-150	F-250 HD	F-350 DRW	F-350 SRW	F-350 DRW
4.9L EFI I-6	S	S	S	-	S	0	_	-	=
5.0L, EFI V-8	0	0	-	-	0	-	-	-	-
5.8L EFI V-8	0	0	0	S	0	S	_	S	S
7.5L B9 V-8	-	-	0	0	-	0	S	0	0
7.3L V-8 Diese	i -	-	0	0	-	0	0	0	0
Transmissions									
5-spd. manual overdrive	S	S	_	-	S	_	-	-	-
5-spd. manual overdrive HD	=	-	S	S	_	S	S	S	S
4-spd. manual	0	0	-	-	0	-	~	=	12
3-spd, auto.	-	-	0	0	-	0	-	0	0
4-spd, auto. overdrive	0	-	-	-	0	_	~	_	_
Bectronic 4-spd, auto, overdrive	0	0	0	0	0	0	0	0	0

F-SERIES 4x4 SPECIFICATIONS

GWWR (max. lbs.)	F-150	6,250: Regular Cab; 6,250: SuperCab				
	F-250 HD	8,600: Regular Cab; 8,800: SuperCab				
	F-350	9,000: Regular Cab SRW				
		9,200: Crew Cab SRW				
Front axie (max. lbs.)	F-150	3.800. Regular Cab, 3,800. SuperCab				
	F-250 HD	4,600; Regular Cab; 4,600; SuperCab				
	F-350	5,000: Regular Cab SRW				
	6.469	5,000; Crew Cab SRW				
Rear axle (max. lbs.)	F-150	3,800 Regular Cab; 3,800 SuperCab				
	F-250 HD	6,250: Regular Cab; 6,250: SuperCab				
	F-350	6,250: Regular Cab SRW				
		6,250: Crew Cab SRW				
Springs, front	Coll: F-150; Constant-rate tapered leaf: F-250 HD/350					
rear		eaf, variable rate (plus auxiliary springs on F-350)				
		r springs for many models. See your Ford dealer.				
	Gas-pressurized	(HD std. on F-250 HD and F-350; opt. on F-150)				
Shock absorbers Front hubs	Gas-pressurized	Sta. auto locking: F-150/F-250HD/F-350				
	Gas-pressurized	Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350				
	Gas-pressurized	Sta. auto locking: F-150/F-250HD/F-350				
	Gas-pressurized	Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350				
Front hubs	Gas-pressurized	Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150				
Front hubs	Gas-pressurized	Std. auto locking: F-150/F-250HD/F-350 Opt mariual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr., Dual 84 amp-hr. std. with 7.3L Diesel				
Front hubs Battery		Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr.; Dual 84 amp-hr. std. with 7.3L Diesel				
Front hubs Battery	75:	Std. auto locking: F-150/F-250HD/F-350 Opt mariual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr., Dual 84 amp-hr. std. with 7.3L Diesel				
Front hubs Battery Alternator	75:	Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr., Dual 84 amp-hr. std. with 7.3L Diesel 60 amps with 4.9L engine less a/c amps with 4.9L engine with a/c; and 7.5L engine OL and 5.8L engines; 130 amps with 7.3L diesel				
Front hubs Battery	75 amps with 5.	Std. auto locking: F-150/F-250HD/F-350 Opt manual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr.; Dual 84 amp-hr. std. with 7.3L Diesel 60 amps with 4.9L engine less a/c amps with 4.9L engine with a/c; and 7.5L engine OL and 5.8L engines; 130 amps with 7.3L diesel Std. 18.2; SWB F-150 Regular Cab				
Front hubs Battery Alternator	75 amps with 5. Std. 34.7; SWB F	Std. auto locking: F-150/F-250HD/F-350 Opt mariual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr., Dual 84 amp-hr. std. with 7.3L Diesel 60 amps with 4.9L engine less a/c amps with 4.9L engine with a/c; and 7.5L engine OL and 5.8L engines; 130 amps with 7.3L diesel				
Front hubs Battery Alternator	75 amps with 5. Std. 34.7; SWB F	Std. auto locking: F-150/F-250HD/F-350 Opt mariual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr., Dual 84 amp-hr. std. with 7.3L Diesel 60 amps with 4.9L engine less a/c amps with 4.9L engine with a/c; and 7.5L engine OL and 5.8L engines; 130 amps with 7.3L diesel Std. 18.2; SWB F-150 Regular Cab 150 SuperCab; 37.2; LWB F-150/F-250HD-350				
Front hubs Battery Alternator Fuel capacity (gals.)	75 amps with 5. Std. 34.7; SWB F	Std. auto locking: F-150/F-250HD/F-350 Opt mariual locking: F-150/250 HD/350 Opt. auto locking with Touch Drive: F-150 Std. 72 amp-hr. Opt. 84 amp-hr.; Dual 84 amp-hr. std. with 7.3L Diesel 60 amps with 4.9L engine less a/c amps with 4.9L engine with a/c; and 7.5L engine OL and 5.8L engines; 130 amps with 7.3L diesel Std. 18.2; SWB F-150 Regular Cab 150 SuperCab; 37.2; LWB F-150/F-250HD-350 Opt. 18.2; LWB F-150/250 HD/350 Regular Cab				

4x4 POWERTEAMS

	F	legular C	ab	Supe	erCab	Crew Cab
Engines	F-150	F-250 HD	F-350 SRW	F-150	F-250 HD	F-350 SRW
4.9LEF11-6	S	-	-	S	-	=
5.0L EFI V-8	0	-	-	0	-	_
5.8L EFI V-8	0	S	S	0	S	S
7.5L EFI V-8	-	0	0	_	0	0
7.3L V-8 Diesel	*	0	0	_	0	0
Transmissions						
5-spd, manual overdrive	S	_	-	S	4	-
5-spd. manual overdrive HD	-	S	S	_	S	S
4-spd, manual	0	-	-	0	-	-
3-spd. auto.	-	0	0	-	0	0
4-spd. auto. overdrive	0	-	_	0	_	_
Bectronic 4-spd. auto. overdrive	0	0	0	_0	0	0





F-SERIES MAXIMUM TRAILER WEIGHTS

		Regular Cab					SuperCab				Crew Cab						
Automatic	Axle Ratio	GCWR Max.	F-150 4x2	F-150 4x4	F-250 4x2	F-350 F-250 HD4x2	F-250 HD4x4		DRW 4x2	F-150 4x2	F-150	350 F-250 HD4x2		F-350 DRW 4x2	F- SRW 4x2	350 DRW 4x2	F-35 4x4
4.9L EF1-6	3.08	9,000	4,700	(1)	-	_	-	-	_	4,400	-	-	-	4		-	
	3,55	10,000	5,700	5,500	5,500	-	-	-	-	5,400	-	[44]	-	-	-	-	
	4.10	11,000		-	-	6,400	195	-	-	-	-	6,100	-	-	-	-	-
5.0LETV-8	3.08	9,000	4,700	-	-	-	-	-	_	-	-	_	_	-	-	-	-
	3.55	11,500	7,200	7,000	-	-	-	-	-	6,900	6,700	-	-	-	-	-	-
	4.10	12,500	-	8,000	8,000	77	-	-	-	-	7,700	_	-	-	-	~	-
5.8LETV-8	3.08	10,000	5,600	5,400	-	-	=	jan.	-	5,300	-	-	-	-	-	-	
	3.55	11,500	-	-	6,900	6,700	6,400	6,300	6,500	-	-	6,400	6,100	-	6,100	5,900	5,70
	3.55	12,000	7,600	7,400	_	_	-	_	-	7,300	7,100	-	-	-	_	-	_
	4.10	13,000	8,500	ou.	8,400	8,200	7,900	7,800	7,900	-	-	7,900	7,600	-	7,600	7,400	7,2
7.3LDiesel	3.55	12,000	-	-	-	6.600	6,300	6,200	-	-	-	6,300	6,000	-	6,000	-	5,6
	4.10	17,000	_	_	-	10,000	10,000	10,000	10,000	_	-	10,000	10,000	10,000	10,000	10,000	
7.5LETV-8	3,55	15,000	-	-	-	10,000	9,700		-	-	-	9,700	9,400	-	9,400	-	9,0
	4.10	18,500	-	-	-	10,000	10,000		10,000	-	-	10,000	10,000	10,000	10,000	10,000	10,0
Vanual																	
4.9LEF1+6	2.73	6,250	(1)	-	-	-	+	-	(4)	-	-	-	-	-	-	-	-
	3.08	6,450	2,200	2,000	-	-	-	-	-	1,900	1,700	-	-	-	-	-	-
	3.56	7,B00	3,600	3,300	3,300	-	_	-	-	3,300	3,000	-	-	-	-	-	-
	4.10	10,000	-	-	-	5,300	-	-	-	-	-	-	-	-	-	-	-
S.OL ERV-8	3.08	6,450	2,200	-	-	_	-	-	-	-	-	-	-	-	-	-	-
	3.55	7,800	3,600	3,300	3,400	-	-	-	-	3,300	3,000	-	-	-	=	-	-
	4.10	10,000	-	5,600	5,500	-	-	-	-	-	5,300	-	-	-	=	-	-
5.8LEFIV-8	3.55	11,500	-	-	-	6,700	6,400	6,300	4	_	-	6,400	6,100	-	=	-	-
	4.10	13,000	=	4	-	8,200	7,900	7,800	7,900	-	-	7,900	7,600	-	7,600	7,400	7,2
3L Desei	3.55	12,000	-	ра.	_	6,700	6,300	6,300	_	-	-	6.400	6,100	=	6,100	=	5,7
	4.10	14,000	-		12	8,700	-	8,300	8,400	-	-	8,400		8,100	8,100	7,900	
7.5LE9V-8	3.56	12,000	_	net.	*	7,000	6,700		-	_	Н	6,700		-	6,400	-	6,0
	4.10	16,000	-	-	-	10000	10,000		10000	_	-	10.000	10,000	10,000		10,000	_

(1) Not available for trailer towing. Note: See your dealer for fifth-wheel ratings.

4x2 PAYLOAD PACKAGE SELECTOR

Regular Cab Styleside	Package	Payload (lbs.)	GVWR lbs.)	Tires (Min.)
F-150 (6-3/4 pickup box)	#1	1,400	5,250	P215/75Rx15SL
F-150 (8' pickup box)	#1	1,490	5,450	P215/75Rx15SL
F-150 (8' pickup box)	#2	2,280	6,250	P235/75Rx15XL
F-250 (8' pickup box)	#1	2,380	6,600	LT215/86Px16D
F-250 HD (8' pickup cox)	#1	4,150	8,600	LT235/85Px16E
F-350 DRW (8' pickup box)	#1	5,110	10,000	LT215/85Fx16D
Regular Cab Flareside				
F-150 (6-3/4' pickup box)	#1	1,000	5,000	P235/75Rx15XL
F-150 (6-3/4' pickup box)	#2	1,450	5,450	P235/75Rx15XL
SuperCab Styleside				
F-150 (6-3/4" pickup box)	#1	1,880	6,050	P235/75Rx15XL
F-150 (8' pickup box)	#1	1,970	6,250	P235/75Rx15XL
F-250 HD (8' pickup box)	#1	4,080	8,800	LT235/85Rx16E
F-350 DRW (8' pickup box	#1	4,670	10,000	LT215/85Bx16D
SuperCab Flareside				
F 150 (6-3/4 pickup box)	#1	1,700	6.050	P235/75Rx15XL
Crew Cab	-		CHARLE	
F 350 (8' pickup box)	#1	4,020	9.200	£1235/65Rx16E
F-350 DRW (8' plokup bex	#1	4,610	10,000	LT215/85Rx16D

weight of optional aquipment. Note: Most regular Cab payloads can be increased if the single fuel tank option is ordered. See your dealer for details.

4x4 PAYLOAD PACKAGE SELECTOR

Regular Cab Styleside	Package	Payload (lbs.)	GVWR (lbs.)	Tires (Min.)
F-150 (6-3/4' pickup box)	#1	2,090	6,100	P235/75Rx15XL
F-150 (8' pickup box)	#1	2,000	6,250	P235/75Rx15XL
F-250 HD (8' pickup box)	#1	3,770	8,600	LT235/85Rx16E
F-350 (8' pickup box)	用1	3,990	9,000	LT235/85Fx16E
Regular Cab Flareside			Later Street	
F-150 (6-3/4' pickup box)	#1	1,950	6,100	P235/75Rx15XL
SuperCab Styleside		AND DESCRIPTION	P	
F-150 (6-3/4" pickup box)	#1	1,870	8,250	P236/75Bx15XL
F-150 (8' pickup box)	#1	1,720	6,250	P235/75Fx15XL
F-250 HD (8' pickup box)	#1	3,630	8,800	LT235/85Rx16E
SuperCab Flareside	Van Brown		10000	When I
F-150 (6-3/4) pickup box)	#1	1,690	6,250	P235/75Rx15XL
Crew Cab		1		The state of the
F-350 (B) blokup boxt	#1	3,670	9,200	LT235/85Fx16E
"Maximum allowable weight of p	eode, cargo	and body equip	ment and is rec	Liceatoy ine

weight of optional equipment. Note: Most regular Cab payloads can be increased if the single fuel tank option is ordered. See your dealer for details.

SELECT F-150 STYLESIDE PREFERRED EQUIPMENT PACKAGES AND OPTIONS

		Regular (-	SuperC	
Note: Package content is subject to change.	XL	XLT	XLT	XL	XLT	XLT
X = Included in Package S = Standard O = Optional	500A	503A	507A	520A	523A	527/
Seating						
Vinyl bench	S					
Cloth and vinyl bench	0			0		
Knitted vinyl bench	0	0	0	S	0	0
Cloth flight bench (including power lumbar support)		S	S			
Cloth bench (includes cloth rear bench)					S	S
Cloth Captain's Chairs (includes floor console, power lumbar support and cloth rear bench seat)				0	0	Ω
Vinyl rear bench seat				0	0	0
Vinyl rear jump seat				S	0	0
Appearance/Comfort/Convenience						
Air conditioning	0	X	X	0	X	Х
Sliding rear window	0	0	0	0	0	0
Chrome rear step bumper	0	0	0	0	0	0
Argent rear step bumper	0			0		
Power door locks/windows		0	X		0	X
Light and Convenience Group (1)	0	X	X	Ò	X	Х
Speed control and tilt steering wheel	O	0	X	0	0	X
Tachometer	0	0	0	0	0	0
Electronic AM radio with clock	S			S		
Electronic AM/FM stereo radio with digital clock	0	S		0	S	
Electronic AM/FM stereo radio with cassette player and digital clock	0	0	X	0	0	Х
Bright electric mirrors		0	0	-	0	0
Bright low mount swing-away mirrors	0	0	0	0	0	0
Bright swingout recreational mirrors	0	0	0	0	0	0
Argent-styled steel wheels	0	X	0	0	X	0
Chrome-styled steel wheels	0	0	X	0	0	X
Forged aluminum deep dish wheels	0	0	0	0	0	0
Headliner and Insulation Package	0	S	S	S	S	S
Skid plates (4x4)	0	0	0	0	0	0
Roof clearance lights	0	0	0	0	0	0
Deluxe two-tone paint	0	0	0	0	0	0
Lower accent two tone paint		0	0		0	0
License plate bracket	0	0	0	0	0	0
Powerteams And Equipment						
4.9 EFI I-6 with 5-speed manual overdrive transmission	S	S	S	S	S	S
4.9L EFI I-6 with 4-speed manual transmission	0	0	0	0	0	0
4.9L EFI I-6 with 4-speed electronic automatic overdrive transmission	0	0	0	0	0	0
5.0L EFI V-8 with 5-speed manual overdrive transmission	0	0	0	0	0	0
5.0L EFI V-8 with 4-speed manual transmission	0	0	0	0	0	0
5.0L EFI V-8 with automatic overdrive transmission	0	0	0	0	0	0
5.0L EFI V-8 with electronic 4-speed automatic overdrive transmission		0	0	0	0	0
5.8L EFI V-8 with electronic 4-speed automatic overdrive transmission		0	0	0	0	0
	0	0	0	0	0	0
Manual locking hubs (4x4) Electronic, Touch Drive (4x4)	0	0	0	0	0	0
Limited sip front (4x4)/ rear axle	0	0	0	0	0	0
	0	0	0	U	U	0
Single fue tenk	0	0	0	0	0	0
Heavy-duty battery	0	0	0	0	0	0
Super engine cooking	0				-0	0
Engine block heater	0	/ 0	0	0	V	0
Handling And Towing		-	-	100		
Camper/Trailer Towing Package (Camper n/a with SuperCab) (2)	0	0	0	0	0	Q
Heavy-duty Front Suspension Package (4x4) (3)	0	0	0	100	-	-
Heavy-duty Rear Suspension Package (4)	0	0 -	0	0	0	0
Handling Package (5)	0	0	0	0	0	0
Payload Package #2	0	0	0			

Througes underload and busin board dome/map with brodights on auditor sient map pocket in oper tim baine, visce venty millor and a min-consula (Regular cabit 2) includes super engine cooling, Italier wing harriess, hid turn signal flasher; Handling Package and hid bettery. 31 includes hid front springs (3,500-lb, CAWP) Twi shock absorbing maritim 3.55 marrosk ratio and not have. (4) houses by treat and regreshed a 4.30 to more all capacity sevillery less springs. (5) includes front-bair smolleer part, hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only. No shock absorbers and quad front plus hid front springs (52) with Camper Package only.

MAJOR STANDARD FEATURES Exterior

Aero-halogen headlamps with impact-resistant lenses Tinted glass, all around

Wraparound front parking/turn signal lamps

Bright manual mirrors

Removable tailgate with bright handle

Wraparound taillamps

Interior

Color-keyed door trim panels Color-keyed cloth headliner (XLT)

instrumentation; voltmeter, oil pressure and temperature gauges w/indicator lights

Power Point electrical accessory outlet

Vent windows

Leather-wrapped steering wheel (XLT)

Interval wipers

Functional

Twin-I-Beam front axie (4x2)

Twin-Traction Beam front axle (4x4)

Maintenance-free battery (72AH 650 C.C.A.)

Power brakes, rear anti-lock

4.9L EFI I-6 engine

5-speed manual overdrive transmission

Automatic locking front hubs (4x4)

Gas-pressurized shock absorbers

Power steering

Two-speed transfer case (4x4)

Five P215/75R x15 SL BSW All-season fires (Regular Cab 4x2) *

Five P235/75R x 15XL BSW All-season tires (SuperCab 4x2 ;4x4) *

Five 6.0J 5-hole wheels

2,500-lb. front springs (4x2 Regular Cab SWB)

2,725-lb, front springs (4x2 SuperCab SWB)

2,525-lb, front springs (4x4 Regular Cab SWB)

3,100-lb. front springs (4x4 SuperCab)

3,190-lb, rear springs (4x2 Regular Cab)

3,800-lb. rear springs (4x2 SuperCab)

3,776-lb. rear springs (4x4 Regular Cab)

3,777-lb. rear springs (4x4 SuperCab)

*See your Ford dealer for a complete list of tires.

PRODUCT CHANGES

Following publication of the catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford dealer is your best source for up-to-date information.

Ford Division reserves the right to change product specifications at any time without incurring obligations

OPTIONS

Driving a Ford pickup is only half the fun of owning it. The rest is showing it off.

At Ford, we help to make shopping for the right options easy, as well as economical. Start with the sample Preferred Equipment Packages listed at the left. These are groups of popular options which offer savings over the same options if purchased separately. Ask your Ford dealer for a complete list of Packages for other F-Series models and styles. Then ask for a list of accessories like those pictured here. They're only a





sample of the many ways you can dress your new truck to reflect your own personality.

From left to right above: argent-styled steel wheels, deep-dish aluminum wheels and chrome styled steel wheels.

For improved ventilation, the sliding rear window is a popular F-Series option. Accessories like the Keyloss Entry System, hood cover and hed liner are available through your Ford dealer.







REGULAR CAB STYLESIDE COLORS AND TRIMS

Exterior Paint Colors		Interior Tri	m Colors	
	Crystal	Scarlet	Dark	Medium
XL, XLT	Blue	Red	Charcoai	Mocha
Light Mocha		= (1)		
Medium Mocha Metallic		-		
Dark Mocha Metallic				
Cabemet Red			-	
Bright Red				
Medium Silver Metallic				
Dark Grey Metallic				
Bright Regatta Blue Metallic			dist.	
Deep Shadow Blue Metallic			100	-
Emerald Green Metallic		10-7		-
Raven Black			3 1 3	
Colonial White		= (1)	- 3 - 7	1
Oxford White		Talks.	-	-

Note: Ask your Ford dealer for available two tone combinations.

SUPERCAB AND FLARESIDE COLORS AND TRIMS

Exterior Paint Colors	Interior Trim Colors						
	Crystal	Scariet	Dark	Medium			
XL, XLT	Blue	Red	Charcoal	Mocha (1)			
Light Mocha (1)		■ (3)					
Medium Mocha Clearcoat Metallic (1)							
Mocha Frost Clearcoat Metallic (1)							
Cabernet Red							
Bright Red							
Wild Strawberry Clearcoat Metallic (1)							
Birnini Blue Clearcoat Metallic			■ (1)				
Twilight Blue Clearcoat Metallic			a (1)				
Medium Platinum Clearcoat			1				
Silver Clearcoat Metailic	100	Total Billion	U FIGURE				
Raven Black	- 2.511	100		m(1)			
Colorial White (1)	319-4	·(3)					
Oxford White	1000	2	1800	a (1)			
Electric Red Clearcoat Metallic (2)		100	4 6	2			
iris Clearcoat Metal ic (2)		TO STATE OF	198 .	4			
ns Cearcoat Metanc (2)	-	and the first	10 H	1 T			

(1) Styleside only. (2) Flareside only. (3) Not available with the XLT Note: Ask your Ford dealer for available two tone combinations.

BUMPER-TO-BUMPER COVERAGE

The 36 montrios, cool mile bumper to-bumper coverage of Ford's new visitide limits a warranty covers in a complete vehicle (except tires, patricy, polyice adjustments and other terms covered under separate provisions) against defects in factory supplied materials or workmanwhip. For complete information, see your Ford dealer.



Optional Ford Extended Service Plans can cover major

components on new Forcidas and Ignit trucks for longer than the vertice's basic warranty. Your dealer has full details.

SPECIFY GENUINE FORD REPLACEMENT COLLISION PARTS

Genure Ford short metal and pastic replacement colsion parts, such as nocci, doors, fenders and dumper components, are the right choice — and for all the right ressors. Genuria Fixe carts are equal to orginal parts in the finish intructural integrity and correspon protection. Ford parts are the same as those used on new venctors which are centilled to meet Federal Motor Mandre Safety. Standards, And all Ford sheetmetal corts are covered by the exclusive Ford Lifeting Sheet Meta Guarantee. Ask your design to see a copy of this limited warranty. Con't settle for imitations. Ask your insurer to authorize genuine. Fore collision parts.






Ford Orealt offers advantageous financing and leasing arrangements for qualified

oustomers, plus the convenience of making them right, where you buy or lease your truck — at your Ford Dealer,

F-SERIES PREFERRED CARE PROGRAM



become members of the F-Series Preferred. Care Program.

The Program provides owners with special effer-sale service benefits, including:

 Poadade Assistance for 3 years/38,000 miles from the date of venide purchase, providing 24-hour rationwide week Emergency Road Service; a 24-hour rationwide to Free 1-800 onche number, plus emergency travel expense iro moursement up to a meximum of \$1,000 per carr. The emergency service will cover many problems not included in the warranty, such as if your F-Series runs out of gas, the battery needs a charge, or even if you are looked out of your huck. Benefits are provided through the Ford Auto Out.

- A carrer vehicle, or a base rental allowance of up to \$20 per day for up to five days, if a warminty repair of an authorized Fond dealer keeps a member's vehicle overright.
- A nationwide tol-free 1-800 phone number to a Ford Motor Company Customer Service Representative for general assistance. See your Ford dealer for details.

ACCESSORIES

Some of the firms shown on vehicles in this publication are the products of retail organizations and establishments not connected with Ford Motor Company. Availability, price, quarty and durabley of these terms rest solely with those organizations, and Ford assumes no resconsibility for ther use.

OPTIONS AVAILABILITY

Options shown or described in this basedgiare available at extra cost and may be offered only in comprisation with other options or subject to additional ordering requirements or implations.

